PROJECT :				PROPOSE	D 2-ST	OREY ADVA	NCED MANUF	ACTUR	RING C	ENTER				
LOCATION :			GEN. SANTOS AVE., BICUTAN, TAGUIG CITY, METRO MANILA ARCHITECTURAL/ STRUCTUR										AL WORKS	
ITEM NO.	DESCRIPTION	QUANTITY	UNIT	UNIT C	OST LABOR & CONS	TOTAL AMOUNT	ESTIMATED DIRECT COST	MARK-UPS OCM	IN PERCENT	TOTAL MARK-UP  % VALUE	VAT	TOTAL INDIRECT COST	TOTAL COST	UNIT COST
	GENERAL REQUIREMENTS Permit & Licenses		lot											
A.2	Bonds & Insurances (Performance, Security, Guarantee, CARI)		lot											
A.3 A.4	Mobilization and Demobilization Temfacil/ Field Office/ Warehouse		lot											
A.5	Temporary Water and Electric Power Consumption		lot											
	As-Built Drawings Site Supervision		lot											
P.7	·		101											
	TOTAL PART A. GENERAL REQUIREMENT													
PART B	SITE DEVELOPMENT													
	Lay-out, Stake-out and Clearing/ Grading		lot											
B.2 B.3	Earthfill and compaction Hauling		cu. m.											
B.4	Road Concreting Works		sq.m											
B.5	Demolition & dismantling of existing building & other obstraction to the location of proposed AMCEN Building		lot											
	Ground floor CHB w/ mortar planter box		sq.m											
B.7	Ground floor Stone Cladding for planter box		sq.m					+						
B.8	Landscaping including all scope of works, tools, equipment and supplies.													
	Indian tree (8-10ft) Hawaiian Palm tree (8-10ft)		pcs											
	Others		pcs											
	Supply & Installation of AMCEN signage including concrete works, rebar works,													
B.9 B.10	architectural finishes, logo,letter and other accessories. Floor finish at road - Stamped Concrete pattern		lot sq. m.											
B.11	Construction of Masonry Wall													
	SITE PREPARATION  Excavation works (including trimmings)		cu. m.											
	Backfilling and Compaction		cu. m.											
	Soil poisoning 50mm thk. Lean Concrete (1500psi)		sq. m.											
	CONCRETE WORKS		cu.m.											
	Foundation footings, wall footings, stair footing (3000 psi)		cu.m.											
	Columns (3000 psi) Beam (3000 psi)		cu.m.											
	REBAR WORKS													
	Foundation footings, wall footings, stair footing Columns		kgs.											
	Beam		kgs.											
	CHB Rebars FORMWORKS AND SCAFFOLDINGS		kgs.											
	Foundation footings, wall footings, stair footing		sq.m.											
	Columns Beam		sq.m. sq.m.											
	MASONRY WORKS		sq.m.											
	150mm CHB Laying (w/ mortar)		sq.m.		-				-					
	Smooth Plastering Exterior wall painting		sq.m.								+			
	Barb wire		rolls											
	TOTAL PART B. SITE DEVELOPMENT													
PART C	MAIN BUILDING SITE PREPARATION													
C.1	Excavation works (including trimmings)		cu. m.											
C.2 C.3	Backfilling and Compaction Soil poisoning		cu. m.					+						
C.4	50mm thk. Lean Concrete (1500psi)		cu.m.											
	Earthfill and compaction (Main building)		cu. m.					$\perp$					-	
	TOTAL PART C. SITE PREPARATION													
PART D	CONCRETE WORKS							+						
D.1	Foundation footings, wall footings, stair footing (3000 psi)		cu.m.											
	Columns (3000 psi) Stair beam (3000 psi)		cu.m.											
	Slab on fill (3000 psi)		cu.m.											
	Main and Fire Exit Stair (Ground to 2F) (3000 psi)		cu.m.					$\perp =$					-	
	TOTAL PART D. CONCRETE WORKS							+ +			+			

		1		r			
PART E	REBAR WORKS						
E.1	Foundation footings, wall footings, stair footing	kgs.					
E.2	Columns	kgs.					
E.3 E.4	Stair beam Slab on fill	kgs.					
E.5	Main and Fire Exit Stair (Ground to 2F)	kgs. kgs.					
E.6	CHB Rebars	kgs.					
E.7	Tie Wires	kgs.					
	TOTAL PART E. REBAR WORKS						
PART F	FORMWORKS AND SCAFFOLDINGS						
F.1	Foundation footings, wall footings, stair footing	sq.m.					
F.2	Columns	sq.m.					
F.3	Stair beam	sq.m.					
F.4	Slab on fill	sq.m.					
F.5	Main and Fire Exit Stair (Ground to 2F)	sq.m.					
F.6	Scaffoldings	lot					
	TOTAL PART F. FORMWORKS AND SCAFFOLDINGS						
DARTO	AAACONDV MODIVC						
PART G G.1	MASONRY WORKS	ca m				1	+
G.1	150mm CHB Laying (w/ mortar) 100mm CHB Laying (w/ mortar)	sq.m. sq.m.				1	+
G.2	Interior / Exterior Smooth Plastering	sq.m.				1	+
0.5		3q.111.				<del> </del>	+
	TOTAL PART G. MASONRY WORKS						†
PART H	FLOOR FINISHES						
H.1	(FF-01) 600x600 Homogeneous floor tiles						
	Workshop	sq.m.					
	Locker room	sq.m.					
	lobby	sq.m.					
	training/ orientation room	sq.m.					
	Workshop	sq.m.					
H.2	(FF-02) Anti static epoxy paint						
	Prototyping lab	sq.m.					
	Material storage	sq.m.					
H.3	Collaboratory/ciamt locators (FF-04) 600 x 600mm Homogeneous floor tiles	sq.m.					
11.5	Walkway	sq.m.					
H.4	(FF-05) 300 x 300mm Homogeneous floor tiles						
	Main stair	sq.m.					
	Main stair at collabarotary	sq.m.					
H.5	(FF-06) 300x300 MARIWASA Unglazed tiles						
	Handicap toilet	sq.m.					
	Mens/ womens toilet	sq.m.					
	mens/ womens cr	sq.m.					
H.6	(FF-07) 300x300 'APO' Vinyl floor tiles Utility Room	sq.m.					
H.7	(FF-08) Plain cement smooth floor finish	sq.m.					+
11.7	Bridge room	sq.m.					
	Utility room/ electrical room	sq.m.					
H.8	(FF-09) Smooth straight to finish concrete					1	
	Fire exit stair	sq.m.					
	TOTAL PART H. FLOOR FINISHES						
						1	
PART I	WALL FINISHES					1	+
1.1	Interior/Exterior wall painting	sq.m.				1	+
1.2	12mm thk. Gypsum board on metal studs, with base board and necessary						
1.2	accesories, painted finish (latex) drywall partition 300 x 600 Mariwasa wall tiles	sq.m. sq.m.				1	+
1.3	300 x 300 Decorative Mariwasa wall tiles	sq.m.				+	+
		-4				1	<del>                                     </del>
	TOTAL PART I. WALL FINISHES					İ	
PART J	CEILING FINISHES						
J.1	(CF-02) 9mm thk. Gypsum board on standard metal furring with latex paint finish						
	lobby	sq.m.				1	+
-	training/ orientation room	sq.m.				1	+
1	Collaboratory/ciamt locators	sq.m.	+			1	+
-	Utility room/ electrical room  (CE 03) 9mm this Moisture registrant Gungum heard on standard metal furring with	sq.m.				1	+
1.3	(CF-03) 9mm thk. Moisture resistant Gypsum board on standard metal furring with						
J.2	latex paint finish  Locker room	sq.m.				+	+
	Handicap toilet	sq.m.				1	+ + + + + + + + + + + + + + + + + + + +
	Mens/ womens toilet	sq.m.				1	
	mens/ womens cr	sq.m.				1	
	Bridge room	sq.m.					

J.3	(CF-04) Metal spandrel ceiling in wood tone finish on standard ceiling frame						
	Walkway/canopy	sq.m.					
J.4	(CF-05)Undeslab smooth rubbed concrete with latex paint finish						
	Workshop	sq.m.					
	Workshop	sq.m.					
	Prototyping lab	sq.m.					
	Material storage	sq.m.					
	Main stair	sq.m.					
	Main stair collab	sq.m.					
	Utility room	sq.m.					
	Fire exit stair	sq.m.					
	TOTAL PART J. CEILING FINISHES						
PART K	WATERPROOFING WORKS						
K.1	Walkway	sq.m.					
K.2 K.3	Handicap toilet	sq.m.					
	Mens/ Womens toilet	sq.m.					
K.4	mens/ Womens CR at Collaboratory	sq.m.					
-	TOTAL PART K. WATERPROOFING WORKS	1				1	
l	TOTAL FAIL IN WATER ROOFING WORKS						
L	MISCELLANEOUS ARCHITECTURAL FINISHES						
	Supply and installation of Aluminum Composite Panel Cladding (2f Exterior walls,		$\rightarrow$	+			
L.1	exterior column, parapet, canopy)	sq.m					
L.2	Supply and installation of Laminated Phenolic Toilet Partition	set/s					
	Supply and installation of black galaxy granite countertop lavatory with						
	splashboard and apron @ G/F Women's & Men's Toilets and Handicap toilet						
L.3	including necessary supports	lot					
L.4	Supply and installation of 1m x 2.0m Facial mirror (Frameless)	set/s					
L.5	Supply and installation of 1m x .95m Facial Mirror (Frameless)	set/s					
L.6	Supply and installation of 1.4m x 1m Facial Mirror (Frameless)	set/s					
	Supply and installation of stainless steel handrail & 10 mm Thk Tempered glass on						
	S/S Frame of main stairs at lobby and collaboratory including necessary						
L.7	accessories.	lm					
	Supply and installation of G.I. pipe handrail & railings @ Fire Exit stairs including						
L.8	painting works	lm					
L.9	Supply and installation of granite @ G/F elevator wall	sq.m					
L.10	Supply and installation of G.I. pipe handrail & railings @ GF ramp and stair	lm					
	Construction, Fabrication & Installation of the following at Ground floor lobby						
L.11		lot					
	a. 1.9m x 2.5m Designed information desk w/ tempered glass on top, shelves,						
	fabricated stainless steel AMCEN logo all in duco paint finished including planters						
	box						
	b. 3.10m W x 4.0m H Designed backdrop wall in combination of ACP cladding						
	stainless steel strip with 65" TV monitor recessed on decorative wall						
	· · · · · · · · · · · · · · · · · · ·						
	c. 2.33m W x 4.0m H and 2.98m W x 4.0m H backdrop decorative AMCEN partner						
	logo in stainless steel polished finish on standard metal frame and 2" x 4"						
	portruding stainless steel tubular bar around the engraved s/s panels						
	12mm thk. Gypsum board on metal studs and necessary accesories, painted finish						
1.2	for column encasement	sq.m.					
L.12	Supply & Installation of MIRDC logo	set/s					
L.13	Stairnosing	lm					
	×	1					
	TOTAL PART L. MISCELLANEOUS ARCHITECTURAL FINISHES						
M	SCHEDULE OF DOORS AND WINDOWS						
M.1	DOORS						
	D-1	set/s					
	D-2	set/s					
	D-3	set/s					
	D-4	set/s					
-	D-5	set/s					
<b>—</b>	D-6	set/s	$\rightarrow$				
	D-7	set/s	+				
-	D-8	set/s	$\rightarrow$				
<u> </u>	D-9	set/s					
<u> </u>	D-10 D-10A	set/s					
<b>—</b>	D-110A	set/s	+				
	D-11 D-12	set/s	+				
-	D-12 D-13	set/s set/s				1	
-	D-13 D-14	set/s				1	
-	D-14 D-16	set/s					
<b> </b>	D-10 D-19	set/s	+ +	+			+ +
	Door Closer	set/s					
	Door Stopper	set/s					
M.2	WINDOWS						
	W-1	set/s					
		, , , , ,	- '				

	W-3	set/s						
	W-4	set/s						
1	W-5	set/s						
	W-6	set/s						
	W-7	set/s						
	W-8	set/s						
	W-9	set/s						
	W-10	set/s						
	W-11	set/s						
	W-12							
		set/s						
	W-13	set/s						
	W-14	set/s						
	W-15	set/s						
	W-17	set/s						
	W-18	set/s						
	W-19	set/s						
	W-30	set/s						
	TOTAL PART M. SCHEDULE OF DOORS AND WINDOWS							
	TOTAL GROUND FLOOR							
							+	
SECOND FLOOR/R	ROOF REAM							
	CONCRETE WORKS							1
	Columns (3000 psi)	a aa						1
		cu.m.			<del>                                     </del>			
	Beam/ Lintel Beams (3000 psi)	cu.m.					<del> </del>	-
	Suspended Slab, Canopy (3000psi)	cu.m.						
N.4	Concrete gutter	cu.m.						ļ
$oxed{oxed}$								
	TOTAL PART N. CONCRETE WORKS							
PART O	REBAR WORKS							
0.1	Columns	kgs.						
	Beam/ Lintel Beams	kgs.						
	Suspended Slab, Canopy	kgs.						
	Concrete gutter	kgs.						
	CHB Rebars	kgs.						
	Tie Wires							
0.0	THE TYPICS	kgs.						1
	TOTAL DADT O DEPAR WORKS							
$\vdash$	TOTAL PART O. REBAR WORKS							
DACTO	FORMALIO DICE AND COAFFOLDINGS						<del> </del>	
	FORMWORKS AND SCAFFOLDINGS						<del> </del>	
	Columns	sq.m.						
רם	Beam/ Lintel Beams	ca m						
		sq.m.						
P.3	Suspended Slab/ Canopy	sq.m.						
P.3								
P.3	Suspended Slab/ Canopy Concrete gutter	sq.m.						
P.3	Suspended Slab/ Canopy	sq.m.						
P.3	Suspended Slab/ Canopy Concrete gutter	sq.m.						
P.3 P.4	Suspended Slab/ Canopy Concrete gutter	sq.m.						
P.3 P.4	Suspended Slab/ Canopy Concrete gutter  TOTAL PART P. FORMWORKS AND SCAFFOLDINGS  MASONRY WORKS	sq.m.						
P.3 P.4 PART Q Q.1	Suspended Slab/ Canopy Concrete gutter  TOTAL PART P. FORMWORKS AND SCAFFOLDINGS  MASONRY WORKS 150nm CHB Laying (w/ mortar)	sq.m.						
P.3 P.4 PART Q Q.1 Q.2	Suspended Slab/ Canopy Concrete gutter  TOTAL PART P. FORMWORKS AND SCAFFOLDINGS  MASONRY WORKS 150mm CHB Laying (w/ mortar) 100mm CHB Laying (w/ mortar)	sq.m. sq.m. sq.m. sq.m.						
P.3 P.4 PART Q Q.1 Q.2	Suspended Slab/ Canopy Concrete gutter  TOTAL PART P. FORMWORKS AND SCAFFOLDINGS  MASONRY WORKS 150nm CHB Laying (w/ mortar)	sq.m.						
P.3 P.4 PART Q Q.1 Q.2	Suspended Slab/ Canopy Concrete gutter  TOTAL PART P. FORMWORKS AND SCAFFOLDINGS  MASONRY WORKS  150mm CHB Laying (w/ mortar) 100mm CHB Laying (w/ mortar) Interior / Exterior Smooth Plastering	sq.m. sq.m. sq.m. sq.m.						
P.3 P.4 PART Q Q.1 Q.2	Suspended Slab/ Canopy Concrete gutter  TOTAL PART P. FORMWORKS AND SCAFFOLDINGS  MASONRY WORKS 150mm CHB Laying (w/ mortar) 100mm CHB Laying (w/ mortar)	sq.m. sq.m. sq.m. sq.m.						
P.3 P.4 PART Q Q.1 Q.2 Q.3	Suspended Slab/ Canopy Concrete gutter  TOTAL PART P. FORMWORKS AND SCAFFOLDINGS  MASONRY WORKS 150mm CHB Laying (w/ mortar) 100mm CHB Laying (w/ mortar) Interior / Exterior Smooth Plastering  TOTAL PART Q. MASONRY WORKS	sq.m. sq.m. sq.m. sq.m.						
P.3 P.4 PART Q Q.1 Q.2 Q.3 PART R	Suspended Slab/ Canopy Concrete gutter  TOTAL PART P. FORMWORKS AND SCAFFOLDINGS  MASONRY WORKS 150mm CHB Laying (w/ mortar) 100mm CHB Laying (w/ mortar) Interior / Exterior Smooth Plastering  TOTAL PART Q. MASONRY WORKS	sq.m. sq.m. sq.m. sq.m.						
P.3 P.4 PART Q Q.1 Q.2 Q.3 PART R R.1	Suspended Slab/ Canopy Concrete gutter  TOTAL PART P. FORMWORKS AND SCAFFOLDINGS  MASONRY WORKS  150mm CHB Laying (w/mortar) 100mm CHB Laying (w/mortar) Interior / Exterior Smooth Plastering  TOTAL PART Q. MASONRY WORKS  FLOOR FINISHES  (FF-01) 600x600 Homogeneous floor tiles	sq.m. sq.m. sq.m. sq.m. sq.m.						
P.3 P.4  PART Q Q.1 Q.2 Q.3  PART R R.1	Suspended Slab/ Canopy Concrete gutter  TOTAL PART P. FORMWORKS AND SCAFFOLDINGS  MASONRY WORKS 150mm CHB Laying (w/ mortar) 100mm CHB Laying (w/ mortar) Interior / Exterior Smooth Plastering  TOTAL PART Q. MASONRY WORKS  FLOOR FINISHES (FF-01) 600x600 Homogeneous floor tiles Lounge area	sq.m. sq.m. sq.m. sq.m. sq.m. sq.m.						
P.3 P.4  PART Q Q.1 Q.2 Q.3  PART R R.1	Suspended Slab/ Canopy Concrete gutter  TOTAL PART P. FORMWORKS AND SCAFFOLDINGS  MASONRY WORKS  150mm CHB Laying (w/mortar) 100mm CHB Laying (w/mortar) Interior / Exterior Smooth Plastering  TOTAL PART Q. MASONRY WORKS  FLOOR FINISHES  (FF-01) 600x600 Homogeneous floor tiles Lounge area pantry	\$q.m. \$q.m. \$q.m. \$q.m. \$q.m. \$q.m.						
P.3 P.4  PART Q Q.1 Q.2 Q.3  PART R R.1	Suspended Slab/ Canopy Concrete gutter  TOTAL PART P. FORMWORKS AND SCAFFOLDINGS  MASONRY WORKS  150mm CHB Laying (w/ mortar) 100mm CHB Laying (w/ mortar) Interior / Exterior Smooth Plastering  TOTAL PART Q. MASONRY WORKS  FLOOR FINISHES  (FF-01) 600x600 Homogeneous floor tiles Lounge area pantry secretary office	\$q.m. \$q.m. \$q.m. \$q.m. \$q.m. \$q.m. \$q.m.						
P.3 P.4  PART Q Q.1 Q.2 Q.3  PART R R.1	Suspended Slab/ Canopy Concrete gutter  TOTAL PART P. FORMWORKS AND SCAFFOLDINGS  MASONRY WORKS 150mm CHB Laying (w/ mortar) 100mm CHB Laying (w/ mortar) Interior / Exterior Smooth Plastering  TOTAL PART Q. MASONRY WORKS  FLOOR FINISHES (FF-01) 600x600 Homogeneous floor tiles Lounge area pantry secretary office managers room	\$q.m. \$q.m. \$q.m. \$q.m. \$q.m. \$q.m. \$q.m. \$q.m.						
P.3 P.4 PART Q Q.1 Q.2 Q.3 PART R R.1	Suspended Slab/ Canopy Concrete gutter  TOTAL PART P. FORMWORKS AND SCAFFOLDINGS  MASONRY WORKS  150mm CHB Laying (w/mortar) 100mm CHB Laying (w/mortar) 101mm CHB Laying (w/mortar) Interior / Exterior Smooth Plastering  TOTAL PART Q. MASONRY WORKS  FLOOR FINISHES  (FF-01) 600x600 Homogeneous floor tiles Lounge area pantry secretary office managers room multi purpose room	\$q.m. \$q.m. \$q.m. \$q.m. \$q.m. \$q.m. \$q.m. \$q.m. \$q.m.						
P.3 P.4  PART Q Q.1 Q.2 Q.3  PART R R.1	Suspended Slab/ Canopy Concrete gutter  TOTAL PART P. FORMWORKS AND SCAFFOLDINGS  MASONRY WORKS  150mm CHB Laying (w/ mortar) 100mm CHB Laying (w/ mortar) Interior / Exterior Smooth Plastering  TOTAL PART Q. MASONRY WORKS  FLOOR FINISHES  (FF-01) 600x600 Homogeneous floor tiles Lounge area pantry pantry multi purpose room consultants room	\$q.m. \$q.m. \$q.m. \$q.m. \$q.m. \$q.m. \$q.m. \$q.m. \$q.m. \$q.m.						
P.3 P.4  PART Q Q.1 Q.2 Q.3  PART R R.1	Suspended Slab/ Canopy Concrete gutter  TOTAL PART P. FORMWORKS AND SCAFFOLDINGS  MASONRY WORKS 150mm CHB Laying (w/ mortar) 100mm CHB Laying (w/ mortar) Interior / Exterior Smooth Plastering  TOTAL PART Q. MASONRY WORKS  FLOOR FINISHES (FF-01) 600x600 Homogeneous floor tiles Lounge area pantry secretary office managers room multi purpose room consultants room records room	\$q.m. \$q.m. \$q.m. \$q.m. \$q.m. \$q.m. \$q.m. \$q.m. \$q.m. \$q.m.						
P.3 P.4 PART Q Q.1 Q.2 Q.3 PART R R.1	Suspended Slab/ Canopy Concrete gutter  TOTAL PART P. FORMWORKS AND SCAFFOLDINGS  MASONRY WORKS  150mm CHB Laying (w/ mortar) 100mm CHB Laying (w/ mortar) Interior / Exterior Smooth Plastering  TOTAL PART Q. MASONRY WORKS  FLOOR FINISHES  (FF-01) 600x600 Homogeneous floor tiles Lounge area pantry secretary office managers room multi purpose room consultants room records room data center	\$q.m. \$q.m. \$q.m. \$q.m. \$q.m. \$q.m. \$q.m. \$q.m. \$q.m. \$q.m. \$q.m.						
P.3 P.4  PART Q Q.1 Q.2 Q.3  PART R R.1	Suspended Slab/ Canopy Concrete gutter  TOTAL PART P. FORMWORKS AND SCAFFOLDINGS  MASONRY WORKS  150mm CHB Laying (w/ mortar) 100mm CHB Laying (w/ mortar) Interior / Exterior Smooth Plastering  TOTAL PART Q. MASONRY WORKS  FLOOR FINISHES (FF-01) 600x600 Homogeneous floor tiles Lounge area pantry secretary office managers room multi purpose room consultants room records room data center hallway	\$q.m. \$q.m. \$q.m. \$q.m. \$q.m. \$q.m. \$q.m. \$q.m. \$q.m. \$q.m.						
P.3 P.4  PART Q Q.1 Q.2 Q.3  PART R R.1	Suspended Slab/ Canopy Concrete gutter  TOTAL PART P. FORMWORKS AND SCAFFOLDINGS  MASONRY WORKS  150mm CHB Laying (w/ mortar) 100mm CHB Laying (w/ mortar) Interior / Exterior Smooth Plastering  TOTAL PART Q. MASONRY WORKS  FLOOR FINISHES  (FF-01) 600x600 Homogeneous floor tiles Lounge area pantry secretary office managers room multi purpose room consultants room records room data center	\$q.m. \$q.m. \$q.m. \$q.m. \$q.m. \$q.m. \$q.m. \$q.m. \$q.m. \$q.m. \$q.m.						
P.3 P.4 PART Q Q.1 Q.2 Q.3 PART R R.1	Suspended Slab/ Canopy Concrete gutter  TOTAL PART P. FORMWORKS AND SCAFFOLDINGS  MASONRY WORKS 150mm CHB Laying (w/ mortar) 100mm CHB Laying (w/ mortar) Interior / Exterior Smooth Plastering  TOTAL PART Q. MASONRY WORKS  FLOOR FINISHES (FF-01) 600x600 Homogeneous floor tiles Lounge area pantry secretary office managers room multi purpose room consultants room records room data center hallway executive suites holding area	\$q.m. \$q.m. \$q.m. \$q.m. \$q.m. \$q.m. \$q.m. \$q.m. \$q.m. \$q.m. \$q.m. \$q.m. \$q.m.						
P.3 P.4  PART Q Q.1 Q.2 Q.3  PART R R.1	Suspended Slab/ Canopy Concrete gutter  TOTAL PART P. FORMWORKS AND SCAFFOLDINGS  MASONRY WORKS  150mm CHB Laying (w/ mortar) 100mm CHB Laying (w/ mortar) Interior / Exterior Smooth Plastering  TOTAL PART Q. MASONRY WORKS  FLOOR FINISHES (FF-01) 600x600 Homogeneous floor tiles Lounge area pantry secretary office managers room multi purpose room consultants room records room data center hallway executive suites holding area staff room	\$q.m.						
P.3 P.4  PART Q Q.1 Q.2 Q.3  PART R R.1	Suspended Slab/ Canopy Concrete gutter  TOTAL PART P. FORMWORKS AND SCAFFOLDINGS  MASONRY WORKS  150mm CHB Laying (w/mortar) 100mm CHB Laying (w/mortar) Interior / Exterior Smooth Plastering  TOTAL PART Q. MASONRY WORKS  FLOOR FINISHES  (FF-01) 600x600 Homogeneous floor tiles Lounge area pantry secretary office managers room multi purpose room consultants room records room data center hallway executive suites holding area staff room idea war room	\$q.m. \$q.m. \$q.m. \$q.m. \$q.m. \$q.m. \$q.m. \$q.m. \$q.m. \$q.m. \$q.m. \$q.m. \$q.m.						
P.3 P.4  PART Q Q.1 Q.2 Q.3  PART R R.1	Suspended Slab/ Canopy Concrete gutter  TOTAL PART P. FORMWORKS AND SCAFFOLDINGS  MASONRY WORKS  150mm CHB Laying (w/mortar) 100mm CHB Laying (w/mortar) Interior / Exterior Smooth Plastering  TOTAL PART Q. MASONRY WORKS  FLOOR FINISHES  (FF-01) 600x600 Homogeneous floor tiles Lounge area pantry secretary office managers room multi purpose room consultants room records room data center hallway executive suites holding area staff room idea war room	\$q.m. \$q.m. \$q.m. \$q.m. \$q.m. \$q.m. \$q.m. \$q.m. \$q.m. \$q.m. \$q.m. \$q.m. \$q.m. \$q.m.						
P.3 P.4  PART Q Q.1 Q.2 Q.3  PART R R.1	Suspended Slab/ Canopy Concrete gutter  TOTAL PART P. FORMWORKS AND SCAFFOLDINGS  MASONRY WORKS 150mm CHB Laying (w/ mortar) 100mm CHB Laying (w/ mortar) Interior / Exterior Smooth Plastering  TOTAL PART Q. MASONRY WORKS  FLOOR FINISHES (FF-01) 600x600 Homogeneous floor tiles Lounge area pantry secretary office managers room multi purpose room consultants room records room data center hallway executive suites holding area staff room idea war room idea war room pantry	\$q.m.						
P.3 P.4  PART Q Q.1 Q.2 Q.3  PART R R.1	Suspended Slab/ Canopy Concrete gutter  TOTAL PART P. FORMWORKS AND SCAFFOLDINGS  MASONRY WORKS  150mm CHB Laying (w/mortar) 100mm CHB Laying (w/mortar) 10mm CHB Laying (w/mortar) 10m	\$q.m. \$q.m. \$q.m. \$q.m. \$q.m. \$q.m. \$q.m. \$q.m. \$q.m. \$q.m. \$q.m. \$q.m. \$q.m. \$q.m.						
P.3 P.4 PART Q Q.1 Q.2 Q.3 PART R R.1 R.1	Suspended Slab/ Canopy Concrete gutter  TOTAL PART P. FORMWORKS AND SCAFFOLDINGS  MASONRY WORKS 150mm CHB Laying (w/mortar) 100mm CHB Laying (w/mortar) Interior / Exterior Smooth Plastering  TOTAL PART Q. MASONRY WORKS  FLOOR FINISHES (FF-01) 600x600 Homogeneous floor tiles Lounge area pantry secretary office managers room multi purpose room consultants room records room data center hallway executive suites holding area staff room idea war room pantry lounge area at managers room [FF-02] Ant istatic epoxy paint	\$q.m.						
P.3 P.4  PART Q Q.1 Q.2 Q.3  PART R R.1	Suspended Slab/ Canopy Concrete gutter  TOTAL PART P. FORMWORKS AND SCAFFOLDINGS  MASONRY WORKS 150mm CHB Laying (w/ mortar) 100mm CHB Laying (w/ mortar) Interior / Exterior Smooth Plastering  TOTAL PART Q. MASONRY WORKS  FLOOR FINISHES (FF-01) 600x600 Homogeneous floor tiles Lounge area pantry secretary office managers room multi purpose room consultants room records room data center hallway executive suites holding area staff room idea war room pantry lounge area area staff room idea war room pantry lounge area at managers room (FF-02) Anti static epoxy paint Makers space (R&D Partners	\$q.m.						
P.3 P.4  PART Q Q.1 Q.2 Q.3  PART R R.1  R.1	Suspended Slab/ Canopy Concrete gutter  TOTAL PART P. FORMWORKS AND SCAFFOLDINGS  MASONRY WORKS  150mm CHB Laying (w/mortar) 100mm CHB Laying (w/mortar) 101mm CHB Laying	\$q.m.						
P.3 P.4 PART Q Q.1 Q.2 Q.3 PART R R.1 R.1	Suspended Slab/ Canopy Concrete gutter  TOTAL PART P. FORMWORKS AND SCAFFOLDINGS  MASONRY WORKS 150mm CHB Laying (w/mortar) 100mm CHB Laying (w/mortar) Interior / Exterior Smooth Plastering  TOTAL PART Q. MASONRY WORKS  FLOOR FINISHES (FF-01) 600x600 Homogeneous floor tiles Lounge area pantry secretary office managers room multi purpose room consultants room records room data center hallway executive suites holding area staff room idea war room pantry lounge area at managers room (FF-02) Ant istatic epoxy paint Makers space / R&D Partners (FF-03) 300x300 MARIWMSA Unglazed tiles CR at Pantry	\$q.m.						
P.3 P.4  PART Q Q.1 Q.2 Q.3  PART R R.1  R.2 R.2	Suspended Slab/ Canopy Concrete gutter  TOTAL PART P. FORMWORKS AND SCAFFOLDINGS  MASONRY WORKS 150mm CHB Laying (w/ mortar) 100mm CHB Laying (w/ mortar) Interior / Exterior Smooth Plastering  TOTAL PART Q. MASONRY WORKS  FLOOR FINISHES (FF-01) 600x600 Homogeneous floor tiles Lounge area pantry secretary office managers room multi purpose room consultants room records room data center hallway executive suites holding area staff room idea war room pantry lounge area and an angers room (FF-02) Anti static epoxy paint Makers space / R&D Partners (FF-06) 300x300 MARIWASA Unglazed tiles CR at Pantry Mens/Womens toilet	\$q.m.						
P.3 P.4  PART Q Q.1 Q.2 Q.3  PART R R.1  R.1	Suspended Slab/ Canopy Concrete gutter  TOTAL PART P. FORMWORKS AND SCAFFOLDINGS  MASONRY WORKS  150mm CHB Laying (w/mortar) 100mm CHB Laying (w/mortar) 101mm CHB Laying	\$q.m.						
P.3 P.4  PART Q Q.1 Q.2 Q.3  PART R R.1  R.1  R.2  R.3	Suspended Slab/ Canopy Concrete gutter  TOTAL PART P. FORMWORKS AND SCAFFOLDINGS  MASONRY WORKS 150mm CHB Laying (w/ mortar) 100mm CHB Laying (w/ mortar) 100mm CHB Laying (w/ mortar) 10terior / Exterior Smooth Plastering  TOTAL PART Q. MASONRY WORKS  FLOOR FINISHES (FF-01) 600x600 Homogeneous floor tiles Lounge area pantry secretary office managers room multi purpose room consultants room records room data center hallway executive suites holding area staff room lidea war room pantry lounge area at managers room [FF-02] Anti static epoxy paint Makers space / R&D Partners [FF-03] 300x300 MARIWASA Unglazed tiles CR at Pantry Mens/Womens toilet Handicap toilet CR at Executive suits	\$q.m.						
P.3 P.4  PART Q Q.1 Q.2 Q.3  PART R R.1  R.1	Suspended Slab/ Canopy Concrete gutter  TOTAL PART P. FORMWORKS AND SCAFFOLDINGS  MASONRY WORKS  150mm CHB Laying (w/mortar) 100mm CHB Laying (w/mortar) 101mm CHB Laying	\$q.m.						
P.3 P.4  PART Q Q.1 Q.2 Q.3  PART R R.1  R.1  R.2  R.2	Suspended Slab/ Canopy Concrete gutter  TOTAL PART P. FORMWORKS AND SCAFFOLDINGS  MASONRY WORKS 150mm CHB Laying (w/ mortar) 100mm CHB Laying (w/ mortar) 100mm CHB Laying (w/ mortar) 10terior / Exterior Smooth Plastering  TOTAL PART Q. MASONRY WORKS  FLOOR FINISHES (FF-01) 600x600 Homogeneous floor tiles Lounge area pantry secretary office managers room multi purpose room consultants room records room data center hallway executive suites holding area staff room lidea war room pantry lounge area at managers room [FF-02] Anti static epoxy paint Makers space / R&D Partners [FF-03] 300x300 MARIWASA Unglazed tiles CR at Pantry Mens/Womens toilet Handicap toilet CR at Executive suits	\$q.m.						

R.4	(FF-07) 300x300 'APO' Vinyl floor tiles								
	Utility Room	sq.m.							
R.5	(FF-08) Plain cement smooth floor finish with epoxy paint finish	*******							
11.5	utlity/electrical room	sq.m.							
D.C.	(FF-09) Smooth straight to finish concrete	Sq.III.							
R.6									
	ACCU Area	sq.m.							
	ACCU Area at Lounge area	sq.m.							
R.1	(FF-10) 500x500mm Patterned carpet tiles								
	Board room	sq.m.							
	Conference room	sq.m.							
		- ''							
	TOTAL PART R. FLOOR FINISHES								
	TOTALTARTICTEGORTHUSTIES								
PART S	WALL FINISHES								
S.1	Interior/Exterior wall painting	sq.m.							
	12mm thk. Gypsum board on metal studs, with base board and necessary								
S.2	accesories, painted finish (latex) drywall partition	sq.m.							
	12mm thk. Gypsum board on metal studs, with soundproofing system and								
S.2									
	necessary accesories, painted finish (latex) drywall partition at Board Room	sq.m.							
S.3	300 x 600 Mariwasa wall tiles	sq.m.							
S.4	300 x 300 Decorative Mariwasa wall tiles	sq.m.							
-	TOTAL PART S. WALL FINISHES								
PART T	CEILING FINISHES				1				1
					1				1
	(CF-01) 600 X 600 X 16mm thk. Acoustic Boards on Aluminum T-runner ceiling with							1	
T.1	latex paint finish			1	+			-	1
	Board room	sq.m.							1
	secretary office	sq.m.							 
	managers room	sq.m.							
	multi purpose room	sq.m.							1
	consultants room	sq.m.							
	hallway	sq.m.							
	holding area	sq.m.							
	idea war room	sq.m.							
	staff room	sq.m.							
T.2	(CF-02) 9mm thk. Gypsum board on standard metal furring with latex paint finish							1	
1.2	Conference room								
		sq.m.							
	Lounge area	sq.m.							
	pantry at managers room	sq.m.							
	records room	sq.m.							
	data center	sq.m.							
	executive suites	sq.m.							
	pantry at board room	sq.m.							
	Makers space/rd partners	sq.m.							
	utility/electrical room	sq.m.							
	utility room	sq.m.							
	main stair	sq.m.							
	(CF-03) 9mm thk. Moisture resistant Gypsum board on standard metal furring with								
T.3	latex paint finish								
	CR at pantry	sq.m.							
	mens/womens toilet	sq.m.							
					1				1
	handicap	sq.m.			1				+
	cr at managers room	sq.m.		1	+			-	1
	t&b at executive suits	sq.m.							
	cr at staff room	sq.m.							
	mens/womens cr r&d partners	sq.m.							
T.4	(CF-04) Metal spandrel ceiling in wood tone finish on standard ceiling frame								
	rc canopy	sq.m.	+						+
					1				1
	accu area	sq.m.			1				+
T.5	(CF-05)Underslab smooth rubbed concrete with latex paint finish								
	Collaboratory stair	sq.m.							
	Fire Exit stair	sq.m.							
	TOTAL PART T. CEILING FINISHES								
			+						+
PART U	WATERPROCEING WORKS				1				1
	WATERPROOFING WORKS								+
	CR at Pantry	sq.m.							-
U.2	Mens/Womens toilet	sq.m.							
	Handicap toilet	sq.m.							 
U.3	CR at Executive suits	sq.m.							
U.4					1				
U.4 U.5	CR at Conference room/ Managers room	sq.m.			1	ı			1
U.4 U.5 U.6	CR at Conference room/ Managers room CR at Staff room	sq.m.							
U.4 U.5 U.6 U.7	CR at Conference room/ Managers room CR at Staff room Mens/Womens CR at Makers space and R&D Partners	sq.m.							
U.4 U.5 U.6 U.7 U.8	CR at Conference room/ Managers room CR at Staff room Mens/Womens CR at Makers space and R&D Partners rc canopy	sq.m. sq.m. sq.m.							
U.4 U.5 U.6 U.7	CR at Conference room/ Managers room CR at Staff room Mens/Womens CR at Makers space and R&D Partners	sq.m.					_		
U.4 U.5 U.6 U.7 U.8 U.9	CR at Conference room/ Managers room CR at Staff room Mens/Womens CR at Makers space and R&D Partners rc canopy	sq.m. sq.m. sq.m.							
U.4 U.5 U.6 U.7 U.8 U.9	CR at Conference room/ Managers room CR at Staff room Mens/Womens CR at Makers space and R&D Partners rc canopy accu area accu area accu	sq.m. sq.m. sq.m. sq.m. sq.m.							
U.4 U.5 U.6 U.7 U.8 U.9 U.10	CR at Conference room/ Managers room CR at Staff room Mens/Womens CR at Makers space and R&D Partners rc canopy accu area accu Gutter	sq.m. sq.m. sq.m. sq.m. sq.m. sq.m.							
U.4 U.5 U.6 U.7 U.8 U.9	CR at Conference room/ Managers room CR at Staff room Mens/Womens CR at Makers space and R&D Partners rc canopy accu area accu area accu	sq.m. sq.m. sq.m. sq.m. sq.m.							

						•			
	TOTAL PART U. WATERPROOFING WORKS								
	MISCELLANEOUS ARCHITECTURAL FINISHES	ent/e							
V.1	Supply and installation of Laminated Phenolic Toilet Partition	set/s							
V.1	Supply and installation of Sliding glass shower partition at Executive suites	sa m							
V.1	Supply and installation of black galaxy granite countertop lavatory with	sq.m							
	splashboard and apron @ 2/F Women's & Men's Toilets and Handicap toilet								
V.2	including necessary supports	lot							
	Supply and installation of 1m x 2.0m Facial mirror (Frameless)	set/s							
V.4	Supply and installation of 1m x .95m Facial Mirror (Frameless)	set/s							
	Supply and installation of 1.4m x 1m Facial Mirror (Frameless)	set/s							
	Supply and installation of 0.6m x 0.9m Facial Mirror (Frameless)	set/s							
V.7	Supply and installation of granite @ 2/F elevator wall	sq.m							
	Construction of Stage at Idea war room including floor framing, floor finish and								
V.8	other necessary hardware and accessories	lot							
	Supply and installation of base cabinets and shelves complete with Hafele								
V.9	hardwares and accessories at Manager's room:	lot							
	a. 0.4m(D)x2.88m(W)x3.0m(H) full height laminated								
	b. 0.4m(D)x1.1m(W)x3.0m(H) full height laminated								
	c. 0.4m(D)x3.65m(W)x0.75m(H) full height laminated								
	Supply and installation of granite countertop with splashboard and apron @ all								
	pantry including base cabinets, overhead cabinets including all necessary								
V.9	hardware & accessories.	lot							
									1
	TOTAL PART V. MISCELLANEOUS ARCHITECTURAL FINISHES								1
									1
	MISCELLANEOUS LOOSE FURNITURES								1
W.1	Manager's Room	.,							1
	Manager's working table with fixed side cabinet and pedestal	set/s							
	Manager's Office Chair	set/s							1
	Regular 3 sitting cap. Sofa	set/s set/s							
	Regular 2 sitting cap. Sofa								
	Center table	set/s							
	Side table Indoor Landscape	set/s set/s							
	Visitor's chair	set/s							
W.2	Secretary's Room	3043							
VV.2	Secretary's Office Table with fixed side cabinet	set/s							
	Secretary Office Chair	set/s							
	Regular 2 sitting cap. Sofa	set/s							
	Side table	set/s							
	Center table	set/s							
W.3	Staff Room								
	Modular cubicles with mobile pedestal	set/s							
	Office staff chair	set/s							
	4 Drawer lateral filing cabinet	set/s							
	Indoor Landscape	set/s							
	Mini conference table for 6	set/s							
W.4	Executive Suite								
	Sofa bed	set/s							
	Indoor Landscape	set/s							
	Side table	set/s							
W.5	Conference Room								1
	Conference Table for 15	set/s							1
	Indoor Landscape	set/s							
W.6	Conference Chair Board Room	set/s							
VV.O		cot/c	-						1
	Indoor Landscape Conference Table for 20	set/s set/s							
	Conference Table for 20 Conference Chair	set/s							1
W.7	Idea War Room	3CY 3							1
,	Foldable training table	set/s							
	Monoblock chair	set/s							1
W.8	Holding Room								1
-	Foldable table	set/s							
	Gang chair for 3	set/s							
	Modular cubicles with mobile pedestal for operator	set/s							
	Operator's chair	set/s							
	Lounge Area								
	Regular 2 sitting cap. Sofa	set/s		·					
	Side table	set/s							
	Indoor Landscape	set/s							
	Center table	set/s							
W.10	Ground Floor Lobby								1
	Regular 3 sitting cap. Sofa	set/s							
	Regular 2 sitting cap. Sofa	set/s							
	Center table	set/s							
	Indoor Landscape	set/s							
	Side table	set/s							1
W.11	Others								+
	Blinds (GF and 2F) Frosted Sticker	sq.m							1
		sq.m	1		1	I	l		1

Manual Pure And District And Color   Manual Pure And									1
March Agent Part		Backdrop with television for Board Room	set/s						
Right rate and temporary state of CF. 15									
Description Control		Room signages (GF & 2F)	set/s						
Description Control		Room name and emergency exit plan	set/s						
TOTAL ACT   MINISTRATION									
March   Marc									
March   Marc		TOTAL PART W. MISCELLANEOUS LOOSE FURNITURES							
5.5   0.005		TOTAL FART W. MISCELLAREOUS LOUSE FORMITORES							
5.5   0.005									
5.5   0.005									
Description									
Part									
DOT		D-4	set/s						
O   O   O   O   O   O   O   O   O   O		D-6	set/s						
Description									
Column   C									
0.00									
Decl.   Decl									
Description   March									
P.   P.   P.   P.   P.   P.   P.   P.									
OS   STATE									
DOC   CORD   DOC		D-15	set/s						
Description		D-16	set/s						
Description									
DOCK CASES   DOC									
Non-Integral   1975									
1.00   1.00									1
W-2			seys						
No.									1
N-7									
W.									
W.			set/s		 		 		
W-12									
W12									
W-25									1
W15									
W12									
W32									
W22									
W.23									
W-23		W-21	set/s						
W-24		W-22							
W.25									
W-25									
W-25									
W-31 W-32 W-32 W-33 W-34 W-35 W-35 W-36 W-36 W-37 W-38 W-38 W-38 W-38 W-38 W-38 W-38 W-38									
W-32									
W33									
W-36									
W-36		W-33	set/s						
TOTAL PART X. SCHEDULE OF DOORS AND WINDOWS		W-34	set/s						
TOTAL PART X. SCHEDULE OF DOORS AND WINDOWS		W-35	set/s						
TOTAL PART X. SCHIDULE OF DOORS AND WINDOWS									
PART Y   ELVATOR/ ELEVATOR FRAMING WORLS									
PART Y   ELVATOR/ ELEVATOR FRAMING WORLS		TOTAL BART V. SCHEDULE OF DOORS AND WINDOWS							
### LEVATOR FEAMING WORKS  V.1 Exevation works (Including trimmings)  Cu. m.  V.2 Sol poisoning  S. g. m.  V.3 Somm this. Lean Concrete (1500psi)  Cu. m.  V.4 Concrete works (Foundation)  L. g. g. m.  V.5 Rebar works (Foundation)  S. g. m.  V.6 Formworks (Foundation)  V.7 Sol Rebar works (Foundation)  V.7 W. 10 X-3 (SOLUMNS)  V.9 W. 10 X-3 (SOLUMNS)  V.9 W. 10 X-3 (SOLUMNS)  V.9 W. 10 X-3 (SOLUMNS)  V.10 W. 8 X-12 (HANGERS)  V.11 L. 150x180x12mm this. (ROSS BRACING)  V.12 Solumn x.1130mm long Anchor Bott  V.13 Olimn x.1130mm long Anchor Bott  Supply And installation of machine room less elevator unit with 800g (10 Persons) Capacity  PART Z. ROOHING AND ROOF FRAMING WORKS  PART Z. ROOHING AND ROOF FRAMING WORKS  V.12 L. 150x50x182mm this.  V.13 Solumn x.100mm this.  V.14 Persons (Capacity Levator Reading Works)  V.15 L. (SOSX0x182mm this.  V.16 Levator Reading Works  V.17 Solumn x. Solumn this.  V.18 Solumn x. Solumn this.  V.19 Solumn x. Solumn this.  V.10 Solumn x. Solumn this.  V.11 L. 150x50x182mm this.  V.12 Solumn x. Solumn this.  V.13 Olimn x. Solumn this.  V.14 Persons (Capacity Levator Reading Works)  V.15 L. (SOSX0x182mm this.  V.16 Levator Reading Works  V.17 Solumn x. Solumn this.  V.18 Solumn x. Solumn this.  V.19 Solumn x. Solumn x. Solumn this.  V.10 Solumn x. Solumn x. Solumn this.  V.11 L. 150x50x182mm this.  V.12 Solumn x. Solumn x. Solumn this.  V.13 Solumn x. Solumn x. Solumn x. Solumn this.  V.17 Solumn x. Solumn		TOTAL PART X. SCHEDOLE OF DOORS AND WINDOWS							
### LEVATOR FEAMING WORKS  V.1 Exevation works (Including trimmings)  Cu. m.  V.2 Sol poisoning  S. g. m.  V.3 Somm this. Lean Concrete (1500psi)  Cu. m.  V.4 Concrete works (Foundation)  L. g. g. m.  V.5 Rebar works (Foundation)  S. g. m.  V.6 Formworks (Foundation)  V.7 Sol Rebar works (Foundation)  V.7 W. 10 X-3 (SOLUMNS)  V.9 W. 10 X-3 (SOLUMNS)  V.9 W. 10 X-3 (SOLUMNS)  V.9 W. 10 X-3 (SOLUMNS)  V.10 W. 8 X-12 (HANGERS)  V.11 L. 150x180x12mm this. (ROSS BRACING)  V.12 Solumn x.1130mm long Anchor Bott  V.13 Olimn x.1130mm long Anchor Bott  Supply And installation of machine room less elevator unit with 800g (10 Persons) Capacity  PART Z. ROOHING AND ROOF FRAMING WORKS  PART Z. ROOHING AND ROOF FRAMING WORKS  V.12 L. 150x50x182mm this.  V.13 Solumn x.100mm this.  V.14 Persons (Capacity Levator Reading Works)  V.15 L. (SOSX0x182mm this.  V.16 Levator Reading Works  V.17 Solumn x. Solumn this.  V.18 Solumn x. Solumn this.  V.19 Solumn x. Solumn this.  V.10 Solumn x. Solumn this.  V.11 L. 150x50x182mm this.  V.12 Solumn x. Solumn this.  V.13 Olimn x. Solumn this.  V.14 Persons (Capacity Levator Reading Works)  V.15 L. (SOSX0x182mm this.  V.16 Levator Reading Works  V.17 Solumn x. Solumn this.  V.18 Solumn x. Solumn this.  V.19 Solumn x. Solumn x. Solumn this.  V.10 Solumn x. Solumn x. Solumn this.  V.11 L. 150x50x182mm this.  V.12 Solumn x. Solumn x. Solumn this.  V.13 Solumn x. Solumn x. Solumn x. Solumn this.  V.17 Solumn x. Solumn									
Y.1         Excavation works (including trimmings)         C.u.m.         C.		TOTAL SECOND FLOOR							
Y.1         Excavation works (including trimmings)         C.u.m.         C.									
Y.1         Exavation works (including trimmings)         C. u.m.         <						 <u> </u>			<u> </u>
Y.2   Soil potsoning			cu. m.						
Y.3         50mm thit, Lean Concrete (1500ps)         cum.	Y.2								
Y.4									
Y.5   Rebar works (Foundation)									1
Y-5   Formworks (Foundston)									
Y.7   Tie Wires									1
Y.8   W 10 X 3 (COLUMNS)   Kgs.   K									<b> </b>
Y-9									1
Y.10   W 6 x 12 (HANGERS)   Kgs.									
Y.11									
Y.11   180x180x12mm thk. (CROSS BRACING)   kgs.		W 6 X 12 (HANGERS)	kgs.						<u> </u>
Y.12   16mm thk. steel plate   kgs.   kgs.	Y.11	L 180x180x12mm thk. (CROSS BRACING)							
V.13									
Supply And installation of machine room less elevator unit with 800kg (10   lot									
Y.14   Persons) Capacity			pcs.						1
TOTALY. ELEVATOR/ ELEVATOR FRAMING WORKS			lot						
PART   ROOFING AND ROOF FRAMING WORKS	1.14	i cisons) capacity	idt						
PART   ROOFING AND ROOF FRAMING WORKS									1
Z.1     L 75X75X6mm thk.     kgs.                   Z.2     L 63X63X6mm thk.     kgs.                   Z.3     L C 15XX5X2XMM     kgs.                   Z.4     16mm thk. steel plate     kgs.                         Z.5     216mm x 300mm long Anchor Bolt     pcs.                         Z.6     HILTI HST M8 stud anchor     pcs.                         Z.7     Ø10mm Sagrod     kgs.		TOTAL Y. ELEVATOR/ ELEVATOR FRAMING WORKS							
Z.1     L 75X75X6mm thk.     kgs.                   Z.2     L 63X63X6mm thk.     kgs.                   Z.3     L C 15XX5X2XMM     kgs.                   Z.4     16mm thk. steel plate     kgs.                         Z.5     216mm x 300mm long Anchor Bolt     pcs.                         Z.6     HILTI HST M8 stud anchor     pcs.                         Z.7     Ø10mm Sagrod     kgs.									
Z.2     £ 63K63K6mm thk.     kgs.       Z.3     LC 150X50X18X2MM     kgs.       Z.4     16mm thk. steel plate     kgs.       Z.5     Ø16mm x 300mm long Anchor Bolt     pcs.       Z.6     HILTI HST M8 stud anchor     pcs.       Z.7     Ø10mm Sagrod     kgs.				1			 		
Z.2     £ 63K63K6mm thk.     kgs.       Z.3     LC 150X50X18X2MM     kgs.       Z.4     16mm thk. steel plate     kgs.       Z.5     Ø16mm x 300mm long Anchor Bolt     pcs.       Z.6     HILTI HST M8 stud anchor     pcs.       Z.7     Ø10mm Sagrod     kgs.		ROOFING AND ROOF FRAMING WORKS					-		1
Z.3     LC 150X50X18X2MM     kgs.        Z.4     16mm thk. steel plate     kgs.        Z.5     Ø16mm x 300mm long Anchor Bolt     pcs.        Z.6     HILTI HST M8 stud anchor     pcs.        Z.7     Ø10mm Sagrod     kgs.		ROOFING AND ROOF FRAMING WORKS	kgs.						
Z.4     16mm thk. steel plate     kgs.        Z.5     Ø16mm x 300mm long Anchor Bolt     pcs.        Z.6     HILTI HST M8 stud anchor     pcs.        Z.7     Ø10mm Sagrod     kgs.	Z.1	ROOFING AND ROOF FRAMING WORKS L 75X75X6mm thk.							
Z.5     Ø16mm x 300mm long Anchor Bolt     pcs.             Z.6     HILTI HST MB stud anchor     pcs.             Z.7     Ø10mm Sagrod     kgs.	Z.1 Z.2	ROOFING AND ROOF FRAMING WORKS L 75X75X6mm thk. L 63X63X6mm thk.	kgs.						
Z.6     HILTI HST M8 stud anchor     pcs.	Z.1 Z.2 Z.3	ROOFING AND ROOF FRAMING WORKS L 75X75X6mm thk. L 63X63X6mm thk. LC 150X50X18X2MM	kgs.						
Z.7 Ø10mm Sagrod kgs.	Z.1 Z.2 Z.3 Z.4	ROOFING AND ROOF FRAMING WORKS L 75X75X6mm thk. L 63X63X6mm thk. L 150X50X18X2MM 16mm thk. steel plate	kgs. kgs. kgs.						
	Z.1 Z.2 Z.3 Z.4 Z.5	ROOFING AND ROOF FRAMING WORKS L 75X75X6mm thk. L 63X63X6mm thk. IC 150X50X18X2MM I6mm thk. steel plate Ø16mm x 300mm long Anchor Bolt	kgs. kgs. kgs. pcs.						
Z.8 Stainless steel gutter guard I.m	Z.1 Z.2 Z.3 Z.4 Z.5 Z.6	ROOFING AND ROOF FRAMING WORKS L 75X75X6mm thk. L 63X63X6mm thk. LC 150X50X18X2MM 16mm thk. steel plate Ø16mm x 300mm long Anchor Bolt HILTI HST M8 stud anchor	kgs. kgs. kgs. pcs.						
	Z.1 Z.2 Z.3 Z.4 Z.5 Z.6 Z.7	ROOFING AND ROOF FRAMING WORKS L 75X75X6mm thk. L 63X63X6mm thk. L 150X50X18X2MM 16mm thk. steel plate Ø16mm x 300mm long Anchor Bolt HILTI HST M8 stud anchor Ø10mm Sagord	kgs. kgs. kgs. pcs. pcs. kgs.						

Z.9	Supply and installation of Ga#24 Pre-painted rib type long span metal roofing system, Ga.# 24 ridgeroll & flashing, Roof Insulation, mesh/net at gutter, & necessary accessories	lo							
Z.10	Steel canopy framing works at second floor canopy including supply and installation of trusses/ rafters, bearing plate, bolts and other accessories.	lo							
2.10		10							
	TOTAL Z. ROOFING AND ROOF FRAMING WORKS								
PART AA	STEEL STAIR								
AA.1	C 12 X 20 (STAIR STRINGER AND STEP)	kgs							
AA.2	L 75 X 75 X 6mm	kgs							
AA.3 AA.4	W 6 X 9 (POST)  16mm thk. steel plate	kg:							
AA.5	HILTI HST M8 stud anchor	pcs							
AA.6	Handrail & railings including painting works								
	2" diameter G.I pipe	l.n							
	3/4" diameter G.I pipe	l.n							
	TOTAL AA. STEEL STAIR								
	TOTAL MAIN BUILDING								
WASTE	MATERIAL STORAGE/ POWER GENSET HOUSE/PUMPROOM AND FIRETANK								
PART AB	SITE PREPARATION								
AB.1	Excavation works (including trimmings)	cu. ı		·		1			
AB.2 AB.3	Backfilling and Compaction Soil poisoning	cu. i			1	-			
AB.4	50mm thk. Lean Concrete (1500psi)	cu.r							
AB.5	Cistern Tank/ Fire tank	lot							
	TOTAL PART AB. SITE PREPARATION								
PART AC	CONCRETE WORKS								
AC.1	Foundation footings(3000 psi)	cu.r							
AC.2	Columns (3000 psi)	cu.r							
AC.3 AC.4	Beam/ Lintel Beams (3000 psi) Slab on Fill	cu.r							
AC.4	SIAD OII FIII	cu.r							
	TOTAL PART AC. CONCRETE WORKS								
PART AD AD.1	REBAR WORKS Foundation footings	l.a.							
AD.2	Columns	kg:							
AD.3	Beam/ Lintel Beams	kgs							
AD.4	Slab on Fill	kgs							
AD.5 AD.6	CHB Rebars Tie Wires	kg:							
AD.0	ne wires	Ng.							
	TOTAL PART AD. REBAR WORKS								
PART AE	FORMAL MODIFICATION CONTROL DININGS								
AE.1	FORMWORKS AND SCAFFOLDINGS Foundation footings	sq.r	ı.						
AE.2	Columns	sq.r							
AE.3	Beam/ Lintel Beams	sq.r							
AE.4	Slab on Fill	sq.r	l						
	TOTAL PART AE. FORMWORKS AND SCAFFOLDINGS								
PART AF	MASONRY WORKS								
AF.1 AF.2	150mm CHB Laying (w/ mortar) 100mm CHB Laying (w/ mortar)	sq.r sq.r							
AF.3	Interior / Exterior Smooth Plastering	sq.r							
	TOTAL PART AF. MASONRY WORKS								
PART AG	FLOOR FINISHES								
AG.1	Plain Cement floor finish	sq.r	ı.						
	TOTAL PART AG. FLOOR FINISHES								
PART AH	WALL FINISHES								
AH.1	Exterior wall painting	sq.r	ı.						
AH.2	Interior wall painting	sq.r	L.		1	1			
-	TOTAL PART AH. WALL FINISHES								
	The state of the s								
PART AI	CEILING FINISHES			-					
Al.1	9mm thk. Gypsum board on standard metal furring with latex paint finish	sq.r	l.			1			
	TOTAL PART AI. CEILING FINISHES					+			
PART AJ	SCHEDULE OF DOORS AND WINDOWS			·		1			
AJ.1	DOORS D-17	set,	s .			1			
	D-17 D-18	set,							
					•	•	 		

							i.
	D-22	set/s					
AJ.2	WINDOWS						
	W-27	set/s					
	W-28	set/s					
	W-29	set/s					
	TOTAL PART AJ. SCHEDULE OF DOORS AND WINDOWS						
PART AK	ROOFING AND ROOF FRAMING WORKS						
AK.1	L 50X50X6mm thk. (TRUSSES)	kgs.					
AK.2	LC 100x50x15x1.2mm thk. (PURLINS)	kgs.					
AK.3	16mm thk. steel plate (BASE PLATE)	kgs.					
AK.4	Ø16mm x 300 mm long Anchor Bolt	pcs.					
AK.5	HILTI HST M8	pcs.					
AK.6	Ø10mm Sag Rod	kgs.					
Z.8	Stainless steel gutter guard	l.m					
	Supply and installation of Ga#26 Pre-painted rib type long span metal roofing						
	system, Ga.# 24 ridgeroll & flashing, s/s gutter, Roof Insulation & necessary						
AK.7	accessories	lot					
	TOTAL PART AK. ROOFING AND ROOF FRAMING WORKS						
TOTA	L PART WASTE MATERIAL STORAGE/ POWER GENSET HOUSE/PUMPROOM AND FIF	RETANK					
	GENERAL REQUIREMENTS						
	SITE DEVELOPMENT						
	MAIN BUILDING						
	STORAGE						
	TOTAL COST						